

Compatibility List of Pylontech High Voltage ESS and Inverters Ver.2.43.xlsx

High Voltage ESS

Last Update: 2026/5/1

| Inverter Brand                              | Inverter Type                     | Battery                                |                                        |                                        |                                       | COMM. | Application | Key Features |                 | Firmware Ver                  | Installation  |
|---------------------------------------------|-----------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|---------------------------------------|-------|-------------|--------------|-----------------|-------------------------------|---------------|
|                                             |                                   | FH1<br>Stackable<br>Module<br>Quantity | FH2<br>Stackable<br>Module<br>Quantity | FH3<br>Stackable<br>Module<br>Quantity | RM<br>Stackable<br>Module<br>Quantity |       |             | Activation   | Force<br>Charge |                               |               |
| Ingeteam Power Technology                   | ISS 1Play 3TL / 6TL               | 2-7                                    | 1-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | ABH1002AA<br>ABH1003_Q(disp)  | Wall mounting |
| Ingeteam Power Technology                   | ISS 1Play 3TL M / 6TL M           | 2-7                                    | 1-4                                    | 2-3                                    | 3-4                                   | CAN   | On/off-grid | Yes          | Yes             | ABH1007_A<br>ABH1003_Q(disp)  | Wall mounting |
| Solis                                       | RHI-3P-HVES-5G series             | 4-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Solis                                       | S6-EH3P(5-10)K-H-EU               | 3-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Solis                                       | S6-EH1P(3.8-11.4)K-H-US           | 3-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Solis                                       | S6-EH3P(12-20)K-H                 | 3-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Solis                                       | S6-EH3P(29.9-50)K-H               | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Solis                                       | S6-EH3P(30-60)K-H-US              | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| SMA <sup>b</sup> Solar Technology AG        | SBS 3.7-10 - SBS6.0-10(1)         | 3-7                                    | 2-4                                    | N/A                                    | N/A                                   | CAN   | On/off-grid | Yes          | Yes             | 04.04.03.R(1)<br>3.12.15.R(2) | Wall mounting |
| SMA <sup>b</sup> Solar Technology AG        | SBSE3.6/4.0/5.0/6.0/8.0/9.9-50(2) | N/A                                    | N/A                                    | 2-4                                    | N/A                                   | CAN   | On/off-grid | Yes          | Yes             | 04.04.03.R(1)<br>3.12.15.R(2) | Wall mounting |
| KOSTAL <sup>c</sup> Industrie Elektrik GmbH | PLENTICORE plus                   | 3-7                                    | 2-4                                    | 2-4                                    | N/A                                   | RS485 | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| KOSTAL <sup>c</sup> Industrie Elektrik GmbH | PLENTICORE plus G2                | 3-7                                    | 2-4                                    | 2-5                                    | N/A                                   | RS485 | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| KOSTAL <sup>c</sup> Industrie Elektrik GmbH | PLENTICORE BI xx/26               | 3-7                                    | 2-4                                    | 2-5                                    | N/A                                   | RS485 | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| KOSTAL <sup>c</sup> Industrie Elektrik GmbH | PLENTICORE BI xx/26 G2            | 3-7                                    | 2-4                                    | 2-5                                    | N/A                                   | RS485 | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| KOSTAL <sup>c</sup> Industrie Elektrik GmbH | PLENTICORE G3                     | 3-7                                    | 2-4                                    | 2-5                                    | N/A                                   | RS485 | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| KACO                                        | NH3 Series                        | 3-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Sungrow                                     | SH5.0/6.0/8.0/10.0RT              | 4-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | SAPPHIRE-<br>H_V11_V01_A      | Wall mounting |
| MIDAC                                       | MHS/MHT series                    | 5-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | V3.00                         | Wall mounting |
| Goodwe <sup>e</sup>                         | EH/BH series                      | 2-7                                    | 1-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Goodwe <sup>e</sup>                         | ET 5-10                           | 5-7                                    | 3-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Goodwe <sup>e</sup>                         | ET 15-30                          | N/A                                    | N/A                                    | 3-7                                    | N/A                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Goodwe <sup>e</sup>                         | ET G2 series                      | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Goodwe <sup>e</sup>                         | ET 40~50                          | N/A                                    | N/A                                    | 3-7                                    | N/A                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| EATON                                       | xStorage Home 3P Series           | 5-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | V3.00                         | Wall mounting |
| SolarMax                                    | ES-T Series                       | 5-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | V3.00                         | Wall mounting |
| Deye(Sunsynk) <sup>a</sup>                  | SUN-5~25K-SG01HP3-EU/AU           | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | 2001-X018                     | Wall mounting |
| Deye(Sunsynk) <sup>a</sup>                  | SUN-29.9~50K-SG01HP3-EU/AU        | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             | 2001-X018                     | Wall mounting |
| Sol-Ark                                     | 30K-3P-208V-N                     | 4-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | 1066                          | Wall mounting |
| Sol-Ark                                     | 60K-3P-480V-N                     | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | 1066                          | Wall mounting |
| Lux Power                                   | Hybrid HB series                  | 3-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             |                               | Wall mounting |
| Sofar                                       | HYD 10000/15000/20000 TL-3PH      | 5-7                                    | 3-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             | FW: D0110036<br>DSP: V010027  | Wall mounting |
| Sunways                                     | STH-4-12KTL-HT series             | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V0054                    | Wall mounting |
| Sunways                                     | STH-3-8KTL-HS series              | 2-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V0054                    | Wall mounting |
| Sunways                                     | STR-4-12KTL-HT series             | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V0054                    | Wall mounting |
| Sunways                                     | STR-3-8KTL-HS series              | 2-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V0054                    | Wall mounting |

Compatibility List of Pylontech High Voltage ESS and Inverters Ver.2.43.xlsx  
High Voltage ESS

Last Update: 2026/5/1

| Inverter Brand    | Inverter Type                       | Battery                       |                               |                               |                              | COMM.      | Application | Key Features |              | Firmware Ver                                                  | Installation  |
|-------------------|-------------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|------------|-------------|--------------|--------------|---------------------------------------------------------------|---------------|
|                   |                                     | FH1 Stackable Module Quantity | FH2 Stackable Module Quantity | FH3 Stackable Module Quantity | RM Stackable Module Quantity |            |             | Activation   | Force Charge |                                                               |               |
| eCACTUS           | WH-SPA-3.68H(1)                     | 2-7                           | 2-4                           | 2-4                           | 3-5                          | Modbus RTU | On/off-grid | Yes          | Yes          | 21426-004R(1)<br>21426-005R(1)<br>511-00007-03(2)             | Wall mounting |
| eCACTUS           | WH-SPA-5.0H(1)                      | 2-7                           | 2-4                           | 2-4                           | 3-5                          | Modbus RTU | On/off-grid | Yes          | Yes          |                                                               | Wall mounting |
| eCACTUS           | WH-SHC series(2)                    | 2-7                           | 1-4                           | 2-4                           | 3-5                          | Modbus RTU | On/off-grid | Yes          | Yes          |                                                               | Wall mounting |
| eCACTUS           | WH-THA series(2)                    | 4-7                           | 2-5                           | 2-6                           | 3-8                          | Modbus RTU | On/off-grid | Yes          | Yes          |                                                               | Wall mounting |
| Senergy           | SE 3K~6KHB-HV                       | 2-7                           | 1-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | V010000                                                       | Wall mounting |
| Senergy           | SE 5K~30KHB-D3                      | 3-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | V010000                                                       | Wall mounting |
| Salicru S.A.      | EQX2 3001-8002-HSX series           | 2-7                           | 2-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | V1 . 28 . 45 . 04 . 00                                        | Wall mounting |
| Salicru S.A.      | EQX2 4002-12002-HT series           | 5-7                           | 3-5                           | 2-6                           | 3-8                          | CAN        | On/off-grid | Yes          | Yes          | V1 . 28 . 45 . 04 . 00                                        | Wall mounting |
| HYPONTECH         | HHS series(1)                       | 2-7                           | 1-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | Ver.23(1)                                                     | Wall mounting |
| HYPONTECH         | HBS series(1)                       | 2-7                           | 1-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | Ver.23(1)                                                     | Wall mounting |
| HYPONTECH         | HHT series(2)                       | 4-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | Ver.29(2)                                                     | Wall mounting |
| HYPONTECH         | HBT series(2)                       | 4-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | Ver.29(2)                                                     | Wall mounting |
| AISWEI(Solplanet) | ASW06H/08H/10H/12H/15H-T1           | 4-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | DSP:1.04.00                                                   | Wall mounting |
| AISWEI(Solplanet) | ASW05kH/06kH/08kH/10kH/12kH-T2(-DG) | 3-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | V610-05001-00                                                 | Wall mounting |
| AISWEI(Solplanet) | ASW08kH/10kH/12kH-T3(-DG)           | 3-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | V610-05001-00                                                 | Wall mounting |
| SOLINTEG          | MHT-4~20K Series                    | 4-7                           | 2-5                           | 2-6                           | 3-8                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| SOLINTEG          | MHT-25~50K Series                   | 3-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| SOLINTEG          | MHS-3~8K Series                     | 2-7                           | 2-4                           | 1-4                           | 2-5                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| ETEK              | ETH-3~8KTL-HS Series                | 2-7                           | 1-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| ETEK              | ETH-4~20KTL-HT Series               | 4-7                           | 2-5                           | 2-6                           | 3-8                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| ETEK              | ETH-25~50KTL-HT Series              | 4-7                           | 2-5                           | 2-6                           | 3-8                          | CAN        | On/off-grid | Yes          | Yes          | ARM: V01(08)                                                  | Wall mounting |
| MEGAREVO          | R6~15KH3 Series                     | 4-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | ARM:V1.02.13<br>DSP:V1.03.14                                  | Wall mounting |
| MEGAREVO          | R5~12KH1NA Series                   | 2-7                           | 2-3                           | 2-3                           | 3-4                          |            |             |              |              | ARM:V1.01.41<br>DSP:V1.02.20                                  |               |
| Hoymiles          | HYT-HV Series                       | 5-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | Power - V00.04.07<br>Safety - V00.04.06<br>System - V00.02.18 | Wall mounting |
|                   | HAT-HV Series                       | 5-7                           | 2-5                           | 2-5                           | 3-7                          |            |             |              |              |                                                               |               |
| KOYOE             | KY-EST06KH-KY-EST20KH               | 5-7                           | 3-5                           | 6-10K:2-4<br>12-20K:2-6       | 6-10K:3-5<br>12-20K:3-8      | CAN        | On/off-grid | Yes          | Yes          | 320701                                                        | Wall mounting |
| INVT              | XD5~12KTR                           | 3-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | 208-208-0-319                                                 | Wall mounting |
| Afore             | AF3~9.6K-DH Series                  | 2-7                           | 1-4                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~30K-TH Series                   | 4-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~12K-THP Series                  | 2-7                           | 1-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~17K-THA Series                  | 4-7                           | 2-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~6K-THC Series                   | 2-7                           | 1-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~15K-THM Series                  | 4-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~7K-THMA Series                  | 3-7                           | 2-5                           | 2-4                           | 3-5                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~30K-TH-0 Series                 | 4-7                           | 2-5                           | 2-7                           | 3-9                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |
| Afore             | AF3~12K-THP-0 Series                | 2-7                           | 1-5                           | 2-5                           | 3-7                          | CAN        | On/off-grid | Yes          | Yes          | 1.01                                                          | Wall mounting |

Compatibility List of Pylontech High Voltage ESS and Inverters Ver.2.43.xlsx

High Voltage ESS

Last Update: 2026/5/1

| Inverter Brand | Inverter Type                     | Battery                                |                                        |                                        |                                       | COMM. | Application | Key Features |                 | Firmware Ver                                                                    | Installation  |
|----------------|-----------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|---------------------------------------|-------|-------------|--------------|-----------------|---------------------------------------------------------------------------------|---------------|
|                |                                   | FH1<br>Stackable<br>Module<br>Quantity | FH2<br>Stackable<br>Module<br>Quantity | FH3<br>Stackable<br>Module<br>Quantity | RM<br>Stackable<br>Module<br>Quantity |       |             | Activation   | Force<br>Charge |                                                                                 |               |
| Afore          | AF3~15K-THM-0 Series              | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             | 1.01                                                                            | Wall mounting |
| Afore          | AF3~7K-THMA-0 Series              | 3-7                                    | 2-5                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | 1.01                                                                            | Wall mounting |
| Solavita       | SWH3000 ~ 6000H-S1                | 2-7                                    | 1-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | V0.8.10/V2.0.5                                                                  | Wall mounting |
| Solavita       | SWH005 ~ 15KH-T1                  | 5-7                                    | 3-5                                    | 3-7                                    | 4-9                                   | CAN   | On/off-grid | Yes          | Yes             | V0.8.10/V2.0.5                                                                  | Wall mounting |
| AUXSOL         | ASG-3.6~6SL-ZH Series             | 2-7                                    | 1-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | A2507                                                                           | Wall mounting |
| AUXSOL         | ASG-5~12TL-ZH Series              | 5-7                                    | 3-5                                    | 3-7                                    | 4-9                                   | CAN   | On/off-grid | Yes          | Yes             | A2507                                                                           | Wall mounting |
| Dream Maker    | PCS-3-4~20kW-25(40)A-1            | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V01(08)                                                                    | Wall mounting |
| Dream Maker    | PCS-1-3~8kW-30A-1                 | 2-7                                    | 1-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | ARM: V01(08)                                                                    | Wall mounting |
| SAJ            | H2-3K~6K-S2                       | 2-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | V1.018                                                                          | Wall mounting |
| SAJ            | H2-5K~10K-T2                      | 5-7                                    | 3-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | V1.018                                                                          | Wall mounting |
| SINENG         | SN3.0-6.0HS series(1)             | 2-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | 000004007(1)                                                                    | Wall mounting |
| SINENG         | SN5.0-15HT series(2)              | 4-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | 000001011(2)                                                                    | Wall mounting |
| Sonnex         | STH3-8KSH                         | 2-7                                    | 1-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | DSP:2612<br>ARM:2312                                                            | Wall mounting |
| Sonnex         | STH5-12KTH                        | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             | DSP:1209<br>ARM:1209                                                            | Wall mounting |
| YI ENERGY      | HI-3P5K-H-Y1                      | 5-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | DSPM:00.00.02.00;<br>DSPS:00.00.01.01;<br>ARM:00.01.01.08;                      | Wall mounting |
| YI ENERGY      | HI-3P6K-H-Y1                      | 5-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| YI ENERGY      | HI-3P8K-H-Y1                      | 5-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| YI ENERGY      | HI-3P10K-H-Y1                     | 5-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| YI ENERGY      | HI-3P12K-H-Y1                     | 5-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| LEDIT          | FVDx series                       | 5-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On/off-grid | Yes          | Yes             | V3.00                                                                           | Wall mounting |
| Sinexcel-Isuna | Isuna 5000T ~ 20000T              | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On/off-grid | Yes          | Yes             | ARM 1.01<br>(for D5-12K-TH and<br>5000T ~ 20000T)<br>ARM 2.0<br>(for D5-12K-SH) | Wall mounting |
| Sinexcel-Isuna | Isuna D5-12K-SH                   | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| Sinexcel-Isuna | Isuna D5-12K-TH                   | 4-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On/off-grid | Yes          | Yes             |                                                                                 | Wall mounting |
| Tsun           | TSOL-H/A-3.0~6.0K-H               | 3-7                                    | 2-3                                    | 2-3                                    | 3-4                                   | CAN   | On/off-grid | Yes          | Yes             | DSP:V1.0; ARM:V1.14                                                             | Wall mounting |
| Yelon          | HV6K~12K-3H                       | 4-7                                    | 2-5                                    | 2-5                                    | 3-7                                   | CAN   | On/off-grid | Yes          | Yes             | SV02.02.007                                                                     | Wall mounting |
| GMDE           | TB5200TD                          | 3-7                                    | 2-4                                    | 2-4                                    | 3-5                                   | CAN   | On-grid     | Yes          | Yes             | 1.0.3                                                                           | Wall mounting |
| Pylontech      | FHM-5/8/9.9/10K-HY-1P Serie       | 2-7                                    | 2-4                                    | 1-4                                    | 2-5                                   | CAN   | On-grid     | Yes          | Yes             |                                                                                 | Wall mounting |
|                | FHM-10K1/10K2/15K/20K-HY-3P Serie | 4-7                                    | 2-5                                    | 2-6                                    | 3-8                                   | CAN   | On-grid     | Yes          | Yes             |                                                                                 | Wall mounting |
|                | FHM-25/30/50K-HY-3P Serie         | 3-7                                    | 2-5                                    | 2-7                                    | 3-9                                   | CAN   | On-grid     | Yes          | Yes             |                                                                                 | Wall mounting |

\_\_\_\_\_

Please note that compatibility testing with various inverter brands is currently underway. The list will be updated regularly.  
For any inquiries, please contact: [service@pylontech.com.cn](mailto:service@pylontech.com.cn)

|                                                                                                               |                                                                                                                 |                                                                                                               |                                                                                                          |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
|  <b>Flexible Expansion</b> |  <b>Reliable Performance</b> |  <b>High Compatibility</b> |  <b>Proven Safety</b> |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|